Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS SURVEILLANCE

FEBRUARY 2017

MONTHLY HIV/AIDS SURVEILLANCE REPORT

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC).

AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

AIDS cases by year of report and gender (Excluding DOC)

Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric AIDS cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet)

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)

HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

HIV (not AIDS) cases by year of report and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2016.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015 (PLWHA Worksheet)

Total prevalence by diagnosis category (Excluding DOC)

Total living cases including Department of Corrections [DOC]

Total prevalence by gender (Excluding DOC)

Total prevalence by race/ethnicity (Excluding DOC)

Total prevalence by current age group (Excluding DOC)

Total prevalence by exposure category (Excluding DOC)

ONE-IN STATEMENTS (ONE-IN STATEMENTS Worksheet)

One-in statements for adult (>=13) persons living with HIV or AIDS through 2015 in Miami-Dade & Florida.

One-in statements for persons (all ages) living with HIV or AIDS through 2015 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

Fiorida Department of Health

In Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533
FloridaHealth.gov





Cumulative Number of Reported AIDS Cases

AIDS Cases by age group and	OS Cases by age group and gender (Excluding Department of Correction - DOC)							Cases by a	age group,	race/ethn	icity & gen	der, show	ring Haitiar	ıs separat	ed (Exclud	ling DOC)		
AIDS Cases by	Femal	е	Male		TOTAL	AIDS	Hispanic/	_atino	Black		White	!	Haitiar	1	Other (1	1)	TOTAL A	AIDS
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	168	151	5	7	6	8	2	1	210	196
5-12	53	0.5%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	172	1.8%	136	0.5%	308	0.9%	20	42	128	85	5	2	15	6	4	1	172	136
20-29	1,739	18.0%	3,297	12.4%	5,036	13.9%	288	1,431	1,117	1,053	77	502	238	263	19	48	1,739	3,297
30-39	3,335	34.4%	9,597	36.2%	12,932	35.7%	546	4,169	2,016	2,704	166	1,673	564	896	43	155	3,335	9,597
40-49	2,500	25.8%	7,918	29.8%	10,418	28.8%	464	3,232	1,440	2,542	132	1,257	422	774	42	113	2,500	7,918
50-59	1,133	11.7%	3,688	13.9%	4,821	13.3%	251	1,497	582	1,266	56	489	219	379	25	57	1,133	3,688
60-64	279	2.9%	880	3.3%	1,159	3.2%	69	342	127	324	10	113	68	86	5	15	279	880
65-69	151	1.6%	442	1.7%	593	1.6%	30	152	78	179	5	60	35	42	3	9	151	442
>=70	114	1.2%	329	1.2%	443	1.2%	33	129	47	121	13	37	17	33	4	9	114	329
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,686	100%	26,538	100%	36,224	100%	1,740	11,034	5,736	8,461	473	4,142	1,589	2,492	148	409	9,686	26,538

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by	Femal	е	Male		TOTAL A	IDS
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.8%
1989	195	19.9%	784	80.1%	979	2.7%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,536	80.9%	1,898	5.2%
1992	304	20.4%	1,185	79.6%	1,489	4.1%
1993	443	20.9%	1,679	79.1%	2,122	5.9%
1994	748	23.7%	2,414	76.3%	3,162	8.7%
1995	668	27.9%	1,722	72.1%	2,390	6.6%
1996	579	27.1%	1,560	72.9%	2,139	5.9%
1997	432	28.3%	1,092	71.7%	1,524	4.2%
1998	475	31.6%	1,030	68.4%	1,505	4.2%
1999	356	29.0%	870	71.0%	1,226	3.4%

AIDS Cases by	Femal	е	Male		TOTAL	AIDS
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2000	379	31.8%	814	68.2%	1,193	3.3%
2001	372	32.7%	764	67.3%	1,136	3.1%
2002	323	29.0%	789	71.0%	1,112	3.1%
2003	305	30.1%	709	69.9%	1,014	2.8%
2004	409	31.5%	890	68.5%	1,299	3.6%
2005	392	33.2%	788	66.8%	1,180	3.3%
2006	395	35.0%	735	65.0%	1,130	3.1%
2007	275	34.7%	518	65.3%	793	2.2%
2008	324	31.1%	718	68.9%	1,042	2.9%
2009	255	30.8%	573	69.2%	828	2.3%
2010	198	30.2%	458	69.8%	656	1.8%
2011	233	32.9%	476	67.1%	709	2.0%
2012	158	26.5%	439	73.5%	597	1.6%
2013	189	28.8%	467	71.2%	656	1.8%
2014	144	28.3%	364	71.7%	508	1.4%
2015	146	31.3%	321	68.7%	467	1.3%
2016	128	25.9%	366	74.1%	494	1.4%
2017	15	23.8%	48	76.2%	63	0.2%
Total Adult AIDS	9,686	26.7%	26,538	73.3%	36,224	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

AIDS / 2017-02.xlsx 3 of 23



Cumulative Number of Reported AIDS Cases

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

			Adult AID	S					Pediatr	ic AIDS					TOTAL AI	DS CASES	S	
AIDS by Race/	Female	е	Male		Total Ad	ult	Female	е	Male		Total Ped	iatric	Total Fe	male	Total Ma	ale	Total Ca	ises
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,718	18.2%	11,020	41.9%	12,738	35.7%	39	14.8%	40	15.9%	79	15.4%	1,757	18.1%	11,060	41.7%	12,817	35.4%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	23	0.1%	25	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	23	0.1%	25	0.1%
Black or African American	7,076	75.1%	10,701	40.7%	17,777	49.8%	212	80.6%	200	79.7%	412	80.2%	7,288	75.2%	10,901	41.1%	18,189	50.2%
Native Hawaiian/Pacific Islander	1	0.0%	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	0	0.0%	1	0.0%
White	464	4.9%	4,137	15.7%	4,601	12.9%	9	3.4%	9	3.6%	18	3.5%	473	4.9%	4,146	15.6%	4,619	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	392	1.5%	551	1.5%	3	1.1%	2	0.8%	5	1.0%	162	1.7%	394	1.5%	556	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,423	100%	26,287	100%	35,710	100%	263	100%	251	100%	514	100%	9,686	100%	26,538	100%	36,224	100%

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult AID	S		
	Femal	е	Male		Total Ad	ult
Exposure Category among adult AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,713	56.0%	14,713	41.2%
Adult injection drug use [IDU]	2,069	22.0%	3,198	12.2%	5,267	14.7%
Adult MSM & IDU	0		1,418	5.4%	1,418	4.0%
Adult heterosexual contact [HTRSX]	6,324	67.1%	4,184	15.9%	10,508	29.4%
Adult other risk*	172	1.8%	193	0.7%	365	1.0%
Adult no risk factor reported [NRR]	858	9.1%	2,581	9.8%	3,439	9.6%
Total adult AIDS	9,423	100%	26,287	100%	35,710	100%

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	AIDS		
	Femal	е	Male		Total Pedi	iatric
Exposure Category among Pediatric AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	263	100%	251	100%	514	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

AIDS / 2017-02.xlsx 4 of 23



Cumulative Number of Reported AIDS Cases

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
	MALE-TO-	MALE	INJECT	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	ory/ SEXUAL CONTACT		DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	FEMAL	.E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			250	12.1%			1,316	20.8%	34	19.8%	118	13.8%	1,718	18.2%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,567	75.7%			4,692	74.2%	119	69.2%	698	81.4%	7,076	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			207	10.0%			211	3.3%	14	8.1%	32	3.7%	464	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			45	2.2%			99	1.6%	5	2.9%	10	1.2%	159	1.7%
Adult Female AIDS			2,069	100%			6,324	100%	172	100%	858	100%	9,423	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
	MALE-TO-	MALE	INJECT	ION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category /	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	8,068	54.8%	708	22.1%	509	35.9%	1,063	25.4%	60	31.1%	612	23.7%	11,020	41.9%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	16	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	23	0.1%
Black or African American	3,075	20.9%	2,200	68.8%	606	42.7%	2,945	70.4%	83	43.0%	1,792	69.4%	10,701	40.7%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White	3,325	22.6%	240	7.5%	276	19.5%	104	2.5%	45	5.0%	147	5.7%	4,137	15.7%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	222	1.5%	49	1.5%	27	1.9%	64	1.5%	5	2.6%	25	1.0%	392	1.5%
Adult Male AIDS	14,713	100%	3,198	100%	1,418	100%	4,184	100%	193	82%	2,581	100%	26,287	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,713	41.2%	5,267	14.7%	1,418	4.0%	10,508	29.4%	365	1.0%	3,439	9.6%	35,710	100%



Cumulative Number of Reported AIDS Cases

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CAS	PEDIATRIC FEMALE AIDS CASES														
Exposure Category/	PERINA			LIAC	TRANSFU	SION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE			
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %			
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%			
Black or African American	211	81.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.6%			
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%			
Multi-Race	3	1.2%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	3	1.1%			
Pediatric Female AIDS	260	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	263	100%			

Exposure Category/	PERINA	ΓAL	HEMOPH	ILIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	503	97.9%	0	0.0%	7	1.4%	1	0.2%	3	0.6%	514	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMALE	AIDS	ADU	LT MALE	AIDS	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.4%	170	1.5%	87.6%	194	1.5%	100%
Brazil	12	0.7%	8.6%	128	1.2%	91.4%	140	1.1%	100%
Colombia	73	4.2%	12.3%	521	4.7%	87.7%	594	4.7%	100%
Cuba	413	24.0%	7.8%	4,887	44.3%	92.2%	5,300	41.6%	100%
Dominican Republic	75	4.4%	31.8%	161	1.5%	68.2%	236	1.9%	100%
Guatemala	20	1.2%	15.9%	106	1.0%	84.1%	126	1.0%	100%
Honduras	140	8.1%	29.2%	339	3.1%	70.8%	479	3.8%	100%
Mexico	21	1.2%	8.0%	243	2.2%	92.0%	264	2.1%	100%
Nicaragua	83	4.8%	18.2%	373	3.4%	81.8%	456	3.6%	100%
Peru	27	1.6%	13.5%	173	1.6%	86.5%	200	1.6%	100%
Puerto Rico	189	11.0%	17.6%	883	8.0%	82.4%	1,072	8.4%	100%
United States	406	23.6%	20.9%	1,538	14.0%	79.1%	1,944	15.3%	100%
Venezuela	17	1.0%	5.8%	275	2.5%	94.2%	292	2.3%	100%
Other/Unknown Countries	218	12.7%	15.1%	1,223	11.1%	84.9%	1,441	11.3%	100%
Total Adult Hispanic/Latino	1,718	100%	13.5%	11,020	100%	86.5%	12,738	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

AIDS / 2017-02.xlsx 6 of 23



Cumulative Number of Reported AIDS Cases

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO-N	//ALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	₹ *	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO		DRUG US	E [IDU]			CONTA	CT	RISK	(RISK [N	NRR]	by C	ountry of O	rigin
	Cases	Row %			Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Brazil			2	16.7%			10	83.3%	0	0.0%	0	0.0%	12	0.7%	100%
Colombia			8	11.0%			54	74.0%	2	2.7%	9	12.3%	73	4.2%	100%
Cuba			55	13.3%			309	74.8%	8	1.9%	41	9.9%	413	24.0%	100%
Dominican Republic			3	4.0%			65	86.7%	0	0.0%	7	9.3%	75	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.7%			124	88.6%	1	0.7%	7	5.0%	140	8.1%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			5	6.0%			67	80.7%	1	1.2%	10	12.0%	83	4.8%	100%
Peru			1	3.7%			26	96.3%	0	0.0%	0	0.0%	27	1.6%	100%
Puerto Rico			50	26.5%			127	67.2%	3	1.6%	9	4.8%	189	11.0%	100%
United States			86	21.2%			287	70.7%	16	3.9%	17	4.2%	406	23.6%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			23	10.6%			178	81.7%	2	0.9%	15	6.9%	218	12.7%	100%
Total adult Hispanic/Latino Female			250	14.6%			1,316	76.6%	34	2.0%	118	6.9%	1,718	100%	100%
ADULT HISPANIC/LATINO MA	LE AIDS C	ASES													
	MALE-TO-N		INJEC	-	MSM &	IDU	HETEROS	-	OTHER		NO REPO			spanic/Lati	
Country of Origin	SEXUAL CO	Row %	DRUG US		Casas	Row %	CONTA	CT Row %	RISK		RISK [N	NRR] Row %	by C Cases	ountry of O	
Argentina	Cases 141	82.9%	Cases	Row % 2.4%	Cases 7	4.1%	Cases 15	8.8%	Cases 0	0.0%	Cases	1.8%	170	Col % 1.5%	Row % 100%
Brazil	106	82.8%	7	5.5%	5	3.9%	6	4.7%	2	1.6%	2	1.6%	128	1.2%	100%
Colombia	423	81.2%	15	2.9%	18	3.5%	42	8.1%	3	0.6%	20	3.8%	521	4.7%	100%
Cuba	3,784	77.4%	212	4.3%	194	4.0%	397	8.1%	26	0.5%	274	5.6%	4,887	44.3%	100%
Dominican Republic	88	54.7%	8	5.0%	6	3.7%	43	26.7%	1	0.6%	15	9.3%	161	1.5%	100%
Guatemala	58	54.7%	5	4.7%	2	1.9%	29	27.4%	. 0	0.0%	12	11.3%	106	1.0%	100%
Honduras	218	64.3%	18	5.3%	7	2.1%	70	20.6%	4	1.2%	22	6.5%	339	3.1%	100%
Mexico	166	68.3%	11	4.5%	7	2.9%	40	16.5%	0	0.0%	19		243	2.2%	100%
Nicaragua	274	73.5%	10	2.7%	13	3.5%	54	14.5%	1	0.3%	21	5.6%	373	3.4%	100%
Peru	139	80.3%	2	1.2%	2	1.2%	20	11.6%	0	0.0%	10	5.8%	173	1.6%	100%
Puerto Rico	440	49.8%	215	24.3%	104	11.8%	71	8.0%	3	0.3%	50	5.7%	883	8.0%	100%
. dello Moo	440	43.070	210	27.0/0	104	11.070	/ '	0.070	3	0.578	30	J.1 /0	000	0.078	100 /6

(Continue next Page)

100%

100%

100%

100%

1,062

241

928

8,068

8,068

69.1%

87.6%

75.9%

73.2%

63.3%

156

708

958

10.1%

1.1%

3.4%

6.4%

7.5%

114

27

509

509

7.4%

1.1%

2.2%

4.6%

4.0%

133

125

1,063

2,379

8.6%

6.5%

10.2%

9.6%

18.7%

14

60

94

0.9%

0.7%

0.3%

0.5%

0.7%

United States

Other/Unknown Countries

Total adult Hispanic/Latino Male

TOTAL ADULT HISPANIC/LATINO

Venezuela

12,738 100%

1,538

1,223

11,020

14.0% 2.5%

11.1%

100%

59

97

612

730

3.8%

2.9%

7.9%

5.6%

5.7%



Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS CASES														
Exposure Category	MALE-TO-I	MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Ha	itian
GENDER	SEXUAL C	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	by Gei	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			57	3.6%			1,190	75.4%	26	1.6%	305	19.3%	1,578	100%
Haitian born Adult Males	552	22.3%	77	3.1%	29	1.2%	917	37.0%	12	0.5%	892	36.0%	2,479	100%
Total Haitian born	552	13.6%	134	3.3%	29	0.7%	2,107	51.9%	38	0.9%	1,197	29.5%	4,057	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

	-,		,		g	
		DOC A	AIDS Cases	s	_	
AIDS Cases by	Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	94	13.9%	94	13.3%
Black or African American	21	77.8%	482	71.1%	503	71.3%
White	4	14.8%	70	10.3%	74	10.5%
Haitian	1	3.7%	19	2.8%	20	2.8%
Other (1)	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	678	100%	705	100%

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

AIDS / 2017-02.xlsx 8 of 23



Cumulative Number of Reported HIV (Not AIDS) Cases

HIV (not AIDS) cases by age gr	roup and g	ender (Ex	cluding De	partment	of Correct	ion - DOC	HIV (not A	IDS) Case	es by age g	group, race	e/ethnicity	& gender,	showing	Haitians se	eparated (L	Excluding	DOC)	
HIV Cases by	Female	е	Male		TOTAL	HIV	Hispanic/L	_atino	Black		White		Haitia	n	Other (1)	TOTAL I	IIV
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	60	1.5%	47	0.4%	107	0.7%	13	9	45	34	1	0	1	2	0	2	60	47
5-12	33	0.8%	17	0.1%	50	0.3%	5	4	22	10	0	0	6	3	0	0	33	17
13-19	222	5.4%	329	2.7%	551	3.4%	44	140	164	165	6	10	7	11	1	3	222	329
20-29	984	24.1%	3,040	25.0%	4,024	24.8%	232	1,695	583	867	53	348	104	87	12	43	984	3,040
30-39	1,103	27.0%	3,806	31.3%	4,909	30.2%	269	2,220	552	738	77	650	195	155	10	43	1,103	3,806
40-49	939	23.0%	2,974	24.5%	3,913	24.1%	233	1,585	482	674	63	511	146	168	15	36	939	2,974
50-59	517	12.7%	1,347	11.1%	1,864	11.5%	138	585	247	410	22	231	103	105	7	16	517	1,347
60-64	104	2.5%	289	2.4%	393	2.4%	25	109	46	96	5	49	28	29	0	6	104	289
65-69	77	1.9%	173	1.4%	250	1.5%	24	75	36	60	4	24	12	14	1	0	77	173
>=70	40	1.0%	130	1.1%	170	1.0%	8	46	11	53	3	15	17	13	1	3	40	130
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	4,079	100%	12,152	100%	16,231	100%	991	6,468	2,188	3,107	234	1,838	619	587	47	152	4,079	12,152

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by	Femal	е	Male		TOTAL	HIV
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	120	36.7%	207	63.3%	327	2.0%
1998	264	30.7%	596	69.3%	860	5.3%
1999	251	30.8%	563	69.2%	814	5.0%
2000	225	30.4%	514	69.6%	739	4.6%
2001	232	30.2%	536	69.8%	768	4.7%
2002	283	30.4%	647	69.6%	930	5.7%
2003	231	28.2%	588	71.8%	819	5.0%
2004	220	27.2%	588	72.8%	808	5.0%
2005	217	31.0%	483	69.0%	700	4.3%
2006	177	27.9%	458	72.1%	635	3.9%
2007	214	26.4%	596	73.6%	810	5.0%
2008	223	24.9%	671	75.1%	894	5.5%
2009	173	24.2%	543	75.8%	716	4.4%
2010	165	22.9%	557	77.1%	722	4.4%
2011	176	22.1%	620	77.9%	796	4.9%
2012	153	22.0%	542	78.0%	695	4.3%

HIV Cases by	Femal	е	Male		TOTAL I	HIV
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2013	191	22.7%	650	77.3%	841	5.2%
2014	156	16.9%	766	83.1%	922	5.7%
2015	178	17.0%	871	83.0%	1,049	6.5%
2016	207	17.0%	1,011	83.0%	1,218	7.5%
2017	23	13.7%	145	86.3%	168	1.0%
Total HIV	4,079	25.1%	12,152	74.9%	16,231	99%



Cumulative Number of Reported HIV (Not AIDS) Cases

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

			Adult HIV						Pediat	ric HIV					TOTAL HI	V CASES		
HIV by Race/	Female	е	Male		Total Ac	lult	Femal	е	Male		Total Ped	iatric	Total Fe	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	978	24.5%	6,460	53.4%	7,438	46.3%	18	19.4%	13	20.3%	31	19.7%	996	24.4%	6,473	53.3%	7,469	46.0%
American Indian/Alaska Native	3	0.1%	6	0.0%	9	0.1%	0	0.0%	0	0.0%	0	0.0%	3	0.1%	6	0.0%	9	0.1%
Asian	5	0.1%	31	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	5	0.1%	31	0.3%	36	0.2%
Black or African American	2,725	68.4%	3,635	30.1%	6,360	39.6%	73	78.5%	49	76.6%	122	77.7%	2,798	68.6%	3,684	30.3%	6,482	39.9%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	234	5.9%	1,839	15.2%	2,073	12.9%	1	1.1%	0	0.0%	1	0.6%	235	5.8%	1,839	15.1%	2,074	12.8%
Legacy Asian	1	0.0%	6	0.0%	7	0.0%	0	0.0%	1	1.6%	1	0.6%	1	0.0%	7	0.1%	8	0.0%
Multi-Race	39	1.0%	106	0.9%	145	0.9%	1	1.1%	1	1.6%	2	1.3%	40	1.0%	107	0.9%	147	0.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,986	100%	12,088	100%	16,074	100%	93	100%	64	100%	157	100%	4,079	100%	12,152	100%	16,231	100%

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult HIV	•		
	Femal	е	Male		Total Ad	ult
Exposure Category among adult HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			8,537	70.6%	8,537	53.1%
Adult injection drug use [IDU]	285	7.2%	331	2.7%	616	3.8%
Adult MSM & IDU			268	2.2%	268	1.7%
Adult heterosexual contact [HTRSX]	3,186	79.9%	1,786	14.8%	4,972	30.9%
Adult other risk*	6	0.2%	4	0.0%	10	0.1%
Adult no risk factor reported [NRR]	509	12.8%	1,162	9.6%	1,671	10.4%
Total adult HIV	3,986	100%	12,088	100%	16,074	100%

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	Pediatric HIV									
	Femal	е	Male		Total Pedi	atric				
Exposure Category among Pediatric HIV cases	Cases	Col %	Cases	Col %	Cases	Col %				
Perinatal exposure [PERINATAL]	90	96.8%	62	96.9%	152	96.8%				
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%				
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%				
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%				
Child no risk factor reported [NRR]	3	3.2%	2	3.1%	5	3.2%				
Total Pediatric HIV	93	100%	64	100%	157	100%				



Cumulative Number of Reported HIV (Not AIDS) Cases

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
	MALE-TO-	MALE	INJECT	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	₹ *	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	FEMAL	.E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			71	24.9%			752	23.6%	2	33.3%	153	30.1%	978	24.5%
American Indian/Alaska Native			0	0.0%			3	0.1%	0	0.0%	0	0.0%	3	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	2	0.4%	5	0.1%
Black or African American			164	57.5%			2,240	70.3%	2	33.3%	319	62.7%	2,725	68.4%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			43	15.1%			160	5.0%	1	16.7%	30	5.9%	234	5.9%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			28	0.9%	1	16.7%	3	0.6%	39	1.0%
Adult Female HIV			285	100%			3,186	100%	6	100%	509	100%	3,986	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
	MALE-TO-	MALE	INJECT	TION	MSM &	DU	HETEROS	SEXUAL	OTHER	? *	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5,272	61.8%	100	30.2%	132	49.3%	506	28.3%	0	0.0%	450	38.7%	6,460	53.4%
American Indian/Alaska Native	5	0.1%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	6	0.0%
Asian	26	0.3%	0	0.0%	1	0.4%	2	0.1%	0	0.0%	2	0.2%	31	0.3%
Black or African American	1,583	18.5%	187	56.5%	80	29.9%	1,183	66.2%	2	50.0%	600	51.6%	3,635	30.1%
Native Hawaiian/Pacific Islander	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%
White	1,574	18.4%	41	12.4%	49	18.3%	71	4.0%	2	50.0%	102	8.8%	1,839	15.2%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.0%
Multi-Race	67	0.8%	3	0.9%	6	2.2%	23	1.3%	0	0.0%	7	0.6%	106	0.9%
Adult Male HIV	8,537	100%	331	100%	268	100%	1,786	100%	4	100%	1,162	100%	12,088	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	8,537	53.1%	616	3.8%	268	1.7%	4,972	30.9%	10		1,671	10.4%	16,074	



Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES												
Exposure Category/	PERINATAL		НЕМОРНІ	LIAC	TRANSFL	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	16	17.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	19.4%
Black or African American	72	80.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	73	78.5%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Pediatric Female HIV	90	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	93	100%

Exposure Category/	PERINAT	PERINATAL		ILIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	12	19.4%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	50.0%	13	20.3%
Black or African American	48	77.4%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	50.0%	49	76.6%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.6%
Multi-Race	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.6%
Pediatric Male HIV	62	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	100%	64	100%

	Cases	Row %										
TOTAL PEDIATRIC HIV	152	96.8%	0	0.0%	0	0.0%	0	0.0%	5	3.2%	157	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMAL	E HIV	ADU	JLT MALE	HIV	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.1%	12.4%	149	2.3%	87.6%	170	2.3%	100%
Brazil	17	1.7%	11.0%	138	2.1%	89.0%	155	2.1%	100%
Colombia	39	4.0%	11.4%	303	4.7%	88.6%	342	4.6%	100%
Cuba	181	18.5%	7.7%	2,165	33.5%	92.3%	2,346	31.5%	100%
Dominican Republic	35	3.6%	28.2%	89	1.4%	71.8%	124	1.7%	100%
Honduras	67	6.9%	29.0%	164	2.5%	71.0%	231	3.1%	100%
Mexico	8	0.8%	5.1%	149	2.3%	94.9%	157	2.1%	100%
Nicaragua	35	3.6%	18.9%	150	2.3%	81.1%	185	2.5%	100%
Peru	14	1.4%	13.1%	93	1.4%	86.9%	107	1.4%	100%
Puerto Rico	59	6.0%	18.4%	262	4.1%	81.6%	321	4.3%	100%
United States	250	25.6%	16.0%	1,315	20.4%	84.0%	1,565	21.0%	100%
Venezuela	27	2.8%	5.9%	428	6.6%	94.1%	455	6.1%	100%
Other/Unknown Countries	225	23.0%	17.6%	1,055	16.3%	82.4%	1,280	17.2%	100%
Total Adult Hispanic/Latino HIV	978	100%	13.1%	6,460	100%	86.9%	7,438	100%	100%



Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO	MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	۲ *	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL C	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK	,	RISK [N	NRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.1%	100%
Brazil			0	0.0%			14	82.4%	0	0.0%	3	17.6%	17	1.7%	100%
Colombia			2	5.1%			32	82.1%	0	0.0%	5	12.8%	39	4.0%	100%
Cuba			10	5.5%			150	82.9%	0	0.0%	21	11.6%	181	18.5%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.6%	100%
Honduras			1	1.5%			60	89.6%	0	0.0%	6	9.0%	67	6.9%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.6%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.4%	100%
Puerto Rico			10	16.9%			38	64.4%	0	0.0%	11	18.6%	59	6.0%	100%
United States			33	13.2%			185	74.0%	2	0.8%	30	12.0%	250	25.6%	100%
Venezuela			1	3.7%			24	88.9%	0	0.0%	2	7.4%	27	2.8%	100%
Other/Unknown Countries			7	3.1%			158	70.2%	0	0.0%	60	26.7%	225	23.0%	100%
Total adult Hispanic/Latino Female			71	7.3%			752	76.9%	2	0.2%	153	15.6%	978	100%	100%
ADULT HISPANIC/LATINO MA	MALE-TO		INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	? *	NO REPO	RTED	Total H	ispanic/Lati	no Male
Country of Origin	SEXUAL C	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	NRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	131	87.9%	2	1.3%	2	1.3%	9	6.0%	0	0.0%	5	3.4%	149	2.3%	100%
Brazil	128	92.8%	0	0.0%	2	1.4%	5	3.6%	0	0.0%	3	2.2%	138	2.1%	100%
Colombia	263	86.8%	1	0.3%	9	3.0%	16	5.3%	0	0.0%	14	4.6%	303	4.7%	100%
Cuba	1,831	84.6%	22	1.0%	41	1.9%	179	8.3%	0	0.0%	92	4.2%	2,165	33.5%	100%
Dominican Republic	59	66.3%	3	3.4%	3	3.4%	16	18.0%	0	0.0%	8	9.0%	89	1.4%	100%
Honduras	113	68.9%	1	0.6%	3	1.8%	31	18.9%	0	0.0%	16	9.8%	164	2.5%	100%
Mexico	126	84.6%	2	1.3%	1	0.7%	12	8.1%	0	0.0%	8	5.4%	149	2.3%	100%
Nicaragua	117	78.0%	2	1.3%	2	1.3%	17	11.3%	0	0.0%	12	8.0%	150	2.3%	100%
Peru	84	90.3%	1	1.1%	1	1.1%	6	6.5%	0	0.0%	1	1.1%	93	1.4%	100%
Puerto Rico	193	73.7%	28	10.7%	19	7.3%	12	4.6%	0	0.0%	10	3.8%	262	4.1%	100%
United States	1,077	81.9%	26	2.0%	34	2.6%	98	7.5%	0	0.0%	80	6.1%	1,315	20.4%	100%
Venezuela	392	91.6%	0	0.0%	3	0.7%	16	3.7%	0	0.0%	17	4.0%	428	6.6%	100%
Other/Unknown Countries	758	71.8%	12	1.1%	12	1.1%	89	8.4%	0	0.0%	184	17.4%	1,055	16.3%	100%
Total adult Hispanic/Latino Ma	5,272	81.6%	100	1.5%	132	2.0%	506	7.8%	0	0.0%	450	7.0%	6,460	100%	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	



Cumulative Number of Reported HIV (Not AIDS) Cases

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category	MALE-TO-	MALE	INJEC.	TION	[MSM\ &	IDU]	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Hair	tian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	NRR]	by Ge	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			11	1.8%			538	87.9%	0	0.0%	63	10.3%	612	100%
Haitian born Adult Males	122	21.0%	7	1.2%	1	0.2%	322	55.3%	0	0.0%	130	22.3%	582	100%
Total Haitian born	122	10.2%	18	1.5%	1	0.1%	860	72.0%	0	0.0%	193	16.2%	1,194	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

		DC	C HIV Cas	ses		
HIV Cases by	Female	e	Male		Total	
Race/Ethnicity & Gender	Cases Col %		Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	33.3%	76	17.6%	81	18.1%
Black or African American	7	46.7%	275	63.7%	282	63.1%
White	3	20.0%	62	14.4%	65	14.5%
Haitian	0	0.0%	12	2.8%	12	2.7%
Other (1)	0	0.0%	7	1.6%	7	1.6%
Total HIV	15	100%	432	100%	447	100%

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

HIV / 2017-02.xlsx 14 of 23



All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. (1)

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	11	2	1	82	0	96
2014	4	1	0	84	0	89
2015	14	5	0	78	0	97
2016	45	0	0	49	0	94
2017	8	0	0	0	0	8
Total	248	17	2	871	0	1,138

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. (1)

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	74	3	2	96
2014	15	70	4	0	89
2015	18	77	2	0	97
2016	15	72	7	0	94
2017	3	5	0	0	8
Total	211	870	47	10	1,138

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

(Continue next Page)

15 of 23

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. (1)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race



Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	80	11	1	1	1	3	97
2016	69	18	3	1	1	2	94
2017	8	0	0	0	0	0	8
Total	856	220	36	10	7	9	1,138

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. (1)

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	179	47	13	4	3	2	248
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	663	172	20	6	3	7	871
Unknown	0	0	0	0	0	0	-
Total	856	220	36	10	7	9	1,138

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. (1)

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	248	0	0	0	248
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	622	249	0	871
Unknown	0	0	0	0	0	0	-
Total	19	0	248	622	249	0	1,138

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.



CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.

Perinatal HIV/AIDS	Pediatric	HIV	Pedia	tric AIDS		TOTAL	
Cases by Year of Birth	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Fotal Confirmed Perinatal Cases	40	71%	16	29%	56	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

PERINATAL EXPOSED / 2017-02.xlsx



All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. (1)

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	4	0	7	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
BROWARD HEALTH-CORAL SPRING	1	0	0	0	0	1	0.1%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	3	0	12	1.1%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	10	3	0	18	0	31	2.7%
JACKSON SOUTH MEDICAL CTR.	3	0	0	15	0	18	1.6%
JACKSON MEMORIAL HOSPITAL	174	7	0	768	0	949	83.4%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	10	0	0	10	0	20	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	14	2	0	32	0	48	4.2%
PLANTATION GENERAL HOSPITAL	2	0	0	1	0	3	0.3%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.5%
TOTAL	248	17	2	871	0	1,138	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

PERINATAL EXPOSED / 2017-02.xlsx

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE**

LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING CASES by DIAGNOSIS						
	AIDS		HIV (Not A	IDS)	Total Prevalence		
GENDER	Cases	Col %	Cases	Col %	Cases	Col %	
Female	3,781	29%	3,344	26%	7,125	27%	
Male	9,478	71%	9,738	74%	19,216	73%	
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	

* Living Cases Including DOC			
AIDS	13,639		
HIV	13,427		
Total	27,066		

		* LIVING CASES by DIAGNOSIS					* LIVING CASES by GENDER					
	AID	S	HIV (Not	AIDS)	Total Prev	alence	FEM	ALE	MA	LE	Total Prev	valence
RACE/ETHNICITY	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,469	41%	6,114	47%	11,583	44%	1,672	23%	9,911	52%	11,583	44%
Not Hispanic, Black	6,261	47%	5,195	40%	11,456	43%	5,024	71%	6,432	33%	11,456	43%
Not Hispanic, White	1,317	10%	1,620	12%	2,937	11%	331	5%	2,606	14%	2,937	11%
Not Hispanic, Other	212	2%	153	1%	365	1%	98	1%	267	1%	365	1%
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%

	* LIVING CASES by DIAGNOSIS					* LIVING CASES by GENDER						
	AID	S	HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
CURRENT AGE	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-01 years	-	0%	5	0%	5	0%	4	0%	1	0%	5	0%
02-12 years	5	0%	19	0%	24	0%	8	0%	16	0%	24	0%
13-24 years	205	2%	606	5%	811	3%	243	3%	568	3%	811	3%
25-44 years	2,991	23%	5,431	42%	8,422	32%	2,326	33%	6,096	32%	8,422	32%
45-64 years	8,524	64%	6,128	47%	14,652	56%	3,876	54%	10,776	56%	14,652	56%
65+ years	1,534	12%	893	7%	2,427	9%	668	9%	1,759	9%	2,427	9%
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE**

LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016.

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING	* LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENE						
	AID	S	HIV (Not	AIDS)	Total Pre			
EXPOSURE CATEGORY (1)	Cases	Col %	Cases	Col %	Cases	Col %		
MALE						% of Male	% of Total	
Male-to-male sexual contact [MSM]	6,282	66%	7,543	77%	13,825	72%	52%	
Injection drug use [IDU]	605	6%	283	3%	888	5%	3%	
MSM & IDU	434	5%	252	3%	686	4%	3%	
Heterosexual contact	2,038	22%	1,598	16%	3,636	19%	14%	
Other risk	119	1%	62	1%	181	1%	1%	
Total Male Prevalence	9,478	100%	9,738	100%	19,216	100%		
FEMALE					%	of Female		
Injection drug use [IDU]	487	13%	233	7%	720	10%	3%	
Heterosexual contact	3,169	84%	3,026	90%	6,195	87%	24%	
Other risk	125	3%	85	3%	210	3%	1%	
Total Female Prevalence	3,781	100%	3,344	100%	7,125	100%	100%	

	AID	S	HIV (Not	AIDS)	Total Prevalence		
	Cases	Row %	Cases	Row %	Cases	Total %	
TOTAL PREVALENCE	13,259	50%	13,082	50%	26,341	100%	

⁽¹⁾ No identified risk redistributed

Source: Florida Department of Health, Bureau of Communicable Diseases HIV/AIDS Section.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

* ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 63 White adult male in Miami-Dade is living with HIV or AIDS	One in 171 White adult male				
One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	 One in 38 Black adult male 				
One in 73 Hispanic adult male in Miami-Dade is living with HIV or AIDS	 One in 97 Hispanic adult male 				
One in 91 other race adult male in Miami-Dade is living with HIV or AIDS	 One in 199 Other adult male 				
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 102 adult male in Florida				

ADULT FEMALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 472 White adult female in Miami-Dade is living with HIV or AIDS	 One in 1,048 White adult fema 				
One in 38 Black adult female in Miami-Dade is living with HIV or AIDS	 One in 61 Black adult female 				
 One in 474 Hispanic adult female in Miami-Dade is living with HIV or AIDS 	 One in 424 Hispanic adult fem: 				
 One in 272 other race adult female in Miami-Dade is living with HIV or AID 	 One in 582 Other adult female 				
One in 164 adult female in Miami-Dade is living with HIV or AIDS	One in 277 adult female in Florida				

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 109 White adult in Miami-Dade is living with HIV or AIDS	 One in 299 White adult 				
One in 31 Black adult in Miami-Dade is living with HIV or AIDS	 One in 48 Black adult 				
 One in 131 Hispanic adult in Miami-Dade is living with HIV or AIDS 	 One in 160 Hispanic adult 				
One in 140 other race adult in Miami-Dade is living with HIV or AIDS	 One in 307 Other adult race 				
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 152 adult Floridian				

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

^{*} Living data now reflects those living on our area regardless of where diagnosed.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

* ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
One in 76 White male in Miami-Dade is living with HIV or AIDS	One in 193 White male			
One in 33 Black male in Miami-Dade is living with HIV or AIDS	One in 49 Black male			
One in 86 Hispanic male in Miami-Dade is living with HIV or AIDS	 One in 120 Hispanic male 			
One in 112 other race male in Miami-Dade is living with HIV or AIDS	One in 261 Other male			
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida			

TOTAL FEMALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 564 White female in Miami-Dade is living with HIV or AIDS	 One in 1,173 White female 				
 One in 46 Black female in Miami-Dade is living with HIV or AIDS 	 One in 75 Black female 				
 One in 547 Hispanic female in Miami-Dade is living with HIV or AIDS 	 One in 517 Hispanic female 				
One in 325 other race female in Miami-Dade is living with HIV or AIDS	 One in 735 Other female 				
One in 191 female in Miami-Dade is living with HIV or AIDS	One in 322 female in Florida				

TOTAL ALL SEXES LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 131 White in Miami-Dade is living with HIV or AIDS	One in 336 White				
One in 38 Black in Miami-Dade is living with HIV or AIDS	One in 60 Black				
 One in 152 Hispanic in Miami-Dade is living with HIV or AIDS 	 One in 196 Hispanic 				
One in 169 other race in Miami-Dade is living with HIV or AIDS	 One in 395 Other race 				
One in 101 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian				

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

^{*} Living data now reflects those living on our area regardless of where diagnosed.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int

WEBSITES 23 of 23